


STRUT CLAMPS



2401-2435



APPLICATION:

For use with No-Hub
Cast Iron Soil Pipe

Fig. Number	No-Hub Cast Iron Soil Nom. Pipe Size
2006	1 1/2
2007	2
2424	3
2430	4
2437	5
2445	6
2460	8
2477	10
2493	12

MATERIAL:

Low carbon steel

FINISH:

Electro-galvanized

ORDERING:

Specify figure number
and O.D. tube size.

O.D. Tube Clamp

Fig. Number	O.D. Size	Std. Package	Material Size	Max. Rec. Loads (in Lbs.)			Wt. Each (in Lbs.)
				X	Y	Z	
2401	1/4	100	16 Ga.	50	50	400	.09
2402	3/8	100	16 Ga.	50	50	400	.09
2403	1/2	100	16 Ga.	50	50	400	.10
2404	5/8	100	16 Ga.	50	50	400	.10
2405	3/4	100	16 Ga.	50	50	400	.10
2406	7/8	100	16 Ga.	50	50	400	.10
2407	1	100	14 Ga.	75	75	600	.13
2408	1 1/8	100	14 Ga.	75	75	600	.14
2409	1 1/4	100	14 Ga.	75	75	600	.14
2410	1 3/8	100	14 Ga.	75	75	600	.16
2411	1 1/2	100	14 Ga.	75	75	600	.16
2412	1 5/8	100	14 Ga.	75	75	600	.17
2413	1 3/4	50	12 Ga.	125	125	800	.27
2414	1 7/8	50	12 Ga.	125	125	800	.28
2415	2	50	12 Ga.	125	125	800	.28
2416	2 1/8	50	12 Ga.	125	125	800	.29
2417	2 1/4	50	12 Ga.	125	125	800	.32
2418	2 1/2	50	12 Ga.	125	125	800	.34
2419	2 5/8	50	12 Ga.	125	125	800	.35
2420	2 3/4	50	12 Ga.	125	125	800	.37
2421	3	50	12 Ga.	125	125	800	.39
2422	3 1/8	50	12 Ga.	125	125	800	.40
2423	3 1/4	50	12 Ga.	125	125	800	.42
2424	3 3/8	50	12 Ga.	125	125	800	.43
2425	3 5/8	50	11 Ga.	150	200	1000	.51
2426	3 3/4	50	11 Ga.	150	200	1000	.53
2427	3 7/8	50	11 Ga.	150	200	1000	.54
2428	4 1/8	50	11 Ga.	150	200	1000	.57
2429	4 1/4	25	11 Ga.	150	200	1000	.59
2430	4 3/8	25	11 Ga.	150	200	1000	.60
2431	4 5/8	25	11 Ga.	150	200	1000	.62
2432	4 3/4	25	11 Ga.	150	200	1000	.64
2433	4 7/8	25	11 Ga.	150	200	1000	.65
2434	5	25	11 Ga.	150	200	1000	.67
2435	5 1/8	25	11 Ga.	150	200	1000	.68


STRUT CLAMPS



O.D. Tube Clamp - Cont'd.

2436-2461

Fig. Number	O.D. Size	Std. Package	Material Size	Max. Rec. Loads (in Lbs.)			Wt. Each (in Lbs.)
				X	Y	Z	
2436	5 ¹ / ₄	25	11 Ga.	150	200	1000	.70
2437	5 ³ / ₈	25	11 Ga.	150	200	1000	.71
2438	5 ¹ / ₂	25	11 Ga.	150	200	1000	.72
2439	5 ⁵ / ₈	25	11 Ga.	150	200	1000	.85
2440	5 ³ / ₄	25	11 Ga.	150	200	1000	.87
2441	5 ⁷ / ₈	25	11 Ga.	150	200	1000	.88
2442	6	25	11 Ga.	150	200	1000	.90
2443	6 ¹ / ₈	25	11 Ga.	200	250	1000	.94
2444	6 ¹ / ₄	25	11 Ga.	200	250	1000	.93
2445	6 ³ / ₈	25	11 Ga.	200	250	1000	.95
2446	6 ¹ / ₂	25	11 Ga.	200	250	1000	.98
2447	6 ³ / ₄	25	11 Ga.	200	250	1000	.99
2448	6 ⁷ / ₈	25	11 Ga.	200	250	1000	1.00
2449	7	25	11 Ga.	200	250	1000	1.01
2450	7 ¹ / ₈	25	11 Ga.	200	250	1000	1.02
2451	7 ¹ / ₄	25	11 Ga.	200	250	1000	1.04
2452	7 ³ / ₈	25	11 Ga.	200	250	1000	1.07
2453	7 ¹ / ₂	25	11 Ga.	200	250	1000	1.09
2454	7 ⁵ / ₈	25	11 Ga.	200	250	1000	1.10
2455	7 ³ / ₄	25	11 Ga.	200	250	1000	1.12
2456	7 ⁷ / ₈	25	11 Ga.	200	250	1000	1.13
2457	8	25	11 Ga.	200	250	1000	1.15
2458	8 ¹ / ₈	25	11 Ga.	200	250	1000	1.17
2459	8 ¹ / ₄	25	11 Ga.	200	250	1000	1.18
2460	8 ³ / ₈	25	11 Ga.	200	250	1000	1.20
2461	8 ¹ / ₂	25	11 Ga.	200	250	1000	1.21



MATERIAL:
Low carbon steel

FINISH:
Electro-galvanized

ORDERING:
Specify figure number and O.D. tube size.

Available in aluminum and stainless steel. Price on request. To order aluminum, add suffix AL to fig. number. To order stainless steel, specify 304 or 316 and add suffix SS to fig. number.